



New LOGO! 8.3 with Cloud Connection

Τιμοκατάλογος LOGO! 2020 – 2021

Νέες μονάδες LOGO! 8.3 οι οποίες υποστηρίζουν επικοινωνία με Cloud κάνοντας χρήση των υπηρεσιών Amazon Web Services. Όσο αναφορά την συμβατότητα με παλαιότερες μονάδες είναι 100% συμβατές και ως προς τον κώδικα του προγράμματος αλλά και ως προς τις μονάδες επέκτασης. Για τον προγραμματισμό των νέων μονάδων απαιτείται η έκδοση LOGO! Soft Comfort 8.3. Επίσης η νέα version του LOGO! Soft Comfort 8.3 προσφέρει και τις παρακάτω δυνατότητες.



- TLS-encrypted program transfer to LOGO! 8.3
- The program transfer to LOGO! 8.3 can additionally be secured with a password.
- Support of high-resolution display through three settable zoom factors
- Quality display with password assignment
- Improved display for LOGO! 8 in the hardware selection
- Wizard for cloud connection
- Configuration of the cloud data using the known dialogs including import/export of the data table from/into the CSV file
- Configuration with LOGO! Soft Comfort V8.3 for LOGO! TDE V8.3
- Representation of the TDE display in the online test

Δωρεάν αναβάθμιση από παλαιότερη έκδοση διατίθεται στον παρακάτω σύνδεσμο.

Download for LOGO! 8.3 Software Upgrade

<https://support.industry.siemens.com/cs/gr/en/view/109783154>

Με το νέο LOGO! 8.3 διατίθεται και η νέα έκδοση του LOGO! Web Editor V1.1 που προσφέρει καινούργιες δυνατότητες για την δημιουργία των User Defined Web Page.

LOGO! Web Editor V1.1




- Additional controls in LWE V1.1:
(User-defined login page, PDF documents, push-buttons, tacho display, trend display, iFrame for IP cameras)
- Additional design options (font size and color, different character sets)
- Dashboard creation and upload as AWS web app to AWS
- Easy change between display as local web server and AWS IoT devices
- Support of several AWS IoT devices in one project
- TLS-encrypted transfer to LOGO! 8.3 basic units
- Automatic note upon attempt to transfer large projects (reduction of images)


Download for LOGO! Web Editor V1.1

https://support.industry.siemens.com/cs/attachments/109783154/lwe_v1_1.zip


Βασική μονάδα LOGO! 8.3 με οθόνη

	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6ED1052-1CC08-0BA1	LOGO! 24CE, logic module, display PS/I/O: 24 V/24 V/24 V trans., 8 DI (4 AI)/4 DQ, memory 400 blocks, modular expandable, Ethernet integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units	120,00€
	6ED1052-1FB08-0BA1	LOGO! 230RCE, logic module, display PS/I/O: 115V/230V/relay, 8 DI/4 DQ, memory 400 blocks, modular expandable, Ethernet, integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units	139,00€
	6ED1052-1HB08-0BA1	LOGO! 24RCE, logic module, display PS/I/O: 24V AC/DC 24V/relay, 8 DI/4 DQ, memory 400 blocks, modular expandable, Ethernet, integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units	136,00€
	6ED1052-1MD08-0BA1	LOGO! 12/24RCE, logic module, display PS/I/O: 12/24VDC/relay, 8 DI (4 AI)/4 DQ, memory 400 blocks, modular expandable, Ethernet, integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units	136,00€


Βασική μονάδα LOGO! 8.3 χωρίς οθόνη

	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6ED1052-2CC08-0BA1	LOGO! 24CEo, logic module, without display, PS/I/O: 24 V/24 V/24 V trans., 8 DI (4 AI)/4 DQ, memory 400 blocks, modularly expandable, Ethernet, integr. web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable, cloud connection in all LOGO! 8.3 basic units.	104,00€
	6ED1052-2FB08-0BA1	LOGO! 230RCEo, logic module, PS/I/O: 115 V/230 V/relay, 8 DI/4 DQ, without display, memory 400 blocks, modularly expandable, Ethernet, integr. web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic unit.	112,00€
	6ED1052-2HB08-0BA1	LOGO! 24RCEO (AC), logic module, PS/I/O: DC 24V/24V AC/relay, 8 DI/4 DQ, without display, memory 400 blocks, modular expandable, Ethernet, integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units.	109,00€
	6ED1052-2MD08-0BA1	LOGO! 12/24RCEO, logic module, PS/I/O: 12/24VDC/relay, 8 DI (4 AI)/4 DQ, without display, memory 400 blocks, modular expandable, Ethernet, integrated web server, data log, user-defined web pages, standard microSD card for LOGO! Soft Comfort V8.3 or higher, older projects executable cloud connection in all LOGO! 8.3 basic units.	109,00€


LOGO! 8 ψηφιακές μονάδες επέκτασης


	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6ED1055-1CB00-0BA2	LOGO! DM8 24 expansion module, PS/I/O: 24V/24V/trans., 4 DI/4 DO for LOGO! 8	65,10€
	6ED1055-1FB00-0BA2	LOGO! DM8 230R expansion module, PS/I/O: 230V/230V/relay, 2 MW, 4 DI/4 DO for LOGO! 8	70,40€
	6ED1055-1HB00-0BA2	LOGO! DM8 24R expansion module, PS/I/O: 24V/24V/relay, 2 MW 4 DI/4 DO, AC/DC/NPN input for LOGO! 8	70,40€
	6ED1055-1MB00-0BA2	LOGO! DM8 12/24R expansion module, PS/I/O: 12, 24V/12V/24V/relay, 2 MW, 4 DI/4 DO for LOGO! 8	70,40€
	6ED1055-1CB10-0BA2	LOGO! DM16 24 expansion module, PS/I/O: 24 V DC/24 V DC/trans., 8 DI/8 DO, 4 MW for LOGO! 8	107,00€
	6ED1055-1FB10-0BA2	LOGO! DM16 230R expansion module, PS/I/O: 230V/230V/relay, 4 MW, 8 DI/8 DO for LOGO! 8	115,00€
	6ED1055-1NB10-0BA2	LOGO! DM16 24R expansion module, PS/I/O: 24 V DC/24 V DC/relay, 8 DI/8 DO, 4 MW for LOGO! 8	115,00€

LOGO! 8 αναλογικές μονάδες επέκτασης


	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6ED1055-1MA00-0BA2	LOGO! AM2 expansion module, PS/: 12/24 V DC, 2 AI, 0-10 V or 0/4-20 mA for LOGO! 8	86,10€
	6ED1055-1MD00-0BA2	LOGO! AM2 RTD expansion module, PS: 12/24 V DC, 2AI-50...+200°/C Pt100/1000 for LOGO! 8	104,00€
	6ED1055-1MM00-0BA2	LOGO! AM2 AQ expansion module, PS: 24 V DC, 2 AO, 0-10 V, 0/4-20 mA for LOGO! 8	123,00€

LOGO! 8 Οθόνη TDE

	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6ED1055-4MH08-0BA1	LOGO! TD text display, 6-line, 3 background colors, 2 Ethernet ports, installation accessories for LOGO! 8	154,00€

Λογισμικό LOGO! Soft Comfort			
	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
		6ED1058-0BA08-0YA1	LOGO! SOFT Comfort V8, single license for 1 installation E-SW, SW and documentation on DVD.

LOGO! 8 μονάδες επικοινωνίας (εκπτωτική κατηγορία υλικών Simatic)			
	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6GK7177-1MA20-0AA0	LOGO! CSM12/24 Compact Switch Module connection of a LOGO! and up to 3 further nodes to Ind. Ethernet with 10/100 Mbit/s Unmanaged switch, 4 RJ45 ports, 1x front port for diagnostics DC 12/24V power supply LED diagnostics, LOGO! setup	111,00€
	6GK7142-7BX00-0AX0	LOGO! CMR2020 communication module for connection LOGO! 8 to GSM/GPRS network; 1 RJ45 port for Ind. Ethernet connection to LOGO! 8; 2xDI; 2xDQ; Write/read access to LOGO! tags; Text message sending/ receipt; E-mail sending; Position detection GPS; Time synchronization/ forwarding with real-time clock; Configuration/diagnostics via web interface; Remote access via OpenVPN/HTTPs, DynDNS; Observe national approval	315,00€
	6GK7142-7EX00-0AX0	LOGO! CMR2040 communication module for connection LOGO! 8 to LTE network; 1 RJ45 port for Ind. Ethernet connection to LOGO! 8; 2xDI; 2xDQ; Write/read access to LOGO! tags; Text message sending/ receipt; E-mail sending; Position detection GPS; Time synchronization/ forwarding with real-time clock; Configuration/diagnostics via web interface; Remote access via OpenVPN/HTTPs, DynDNS, observe national approval!	420,00€
	6NH9860-1AA00	ANT794-4MR mobile wireless antenna for 2G/3G/4G EU, GSM/UMTS/ LTE EU networks, Rod antenna; omnidirectional; weatherproof for indoors and outdoors; 5 m Connection cable permanently connected to the antenna; SMA connector; incl. mounting bracket, screws, screw anchor	58,00€

LOGO! 8 Τροφοδοτικά			
	Κωδικός	Περιγραφή	Τιμή καταλόγου ανά τεμάχιο
	6EP3330-6SB00-0AY0	LOGO! POWER 24 V / 0.6 A Stabilized power supply input: 100-240 V AC output: DC 24 V / 0.6 A	34,70€
	6EP3331-6SB00-0AY0	LOGO! POWER 24 V / 1.3 A Stabilized power supply input: 100-240 V AC output: DC 24 V / 1.3 A	51,50€
	6EP3332-6SB00-0AY0	LOGO! POWER 24 V / 2.5 A Stabilized power supply input: 100-240 V AC output: DC 24 V / 2.5 A	68,30€
	6EP3333-6SB00-0AY0	LOGO! POWER 24 V / 4 A Stabilized power supply input: 100-240 V AC output: DC 24 V / 4 A	93,50€
	6EP3320-6SB00-0AY0	LOGO! POWER 12 V / 0.9 A Stabilized power supply input: 100-240 V AC output: 12 V DC/ 0.9 A	41,00€
	6EP3321-6SB00-0AY0	LOGO! POWER 12 V / 1.9 A Stabilized power supply input: 100-240 V AC output: 12 V DC/ 1.9 A	72,50€
	6EP3322-6SB00-0AY0	LOGO! POWER 12 V / 4.5 A Regulated power supply input: 100-240 V AC output: 12 V DC/ 4.5 A	96,60€

Τεχνική Υποστήριξη Siemens Digital Industries

Siemens Industry Online Support: <https://support.industry.siemens.com/>

Τηλέφωνο επικοινωνίας :210 6864777

Ηλεκτρονική υποβολή αιτήματος: <https://siemens.com/supportrequest/>

- Παραδείγματα – Εφαρμογές LOGO!
<https://support.industry.siemens.com/cs/gr/en/ps/13617/ae>
- LOGO! Web Based Trainings
<https://support.industry.siemens.com/cs/gr/en/view/109757017>



SIEMENS Industry Online Support Product Support

Industry Online Support Ελλάδα | English | Εισαφή | Βοήθεια | Αίτηση υποστήριξης | Site Explorer | Search in Online Support

Αρχείο > Υποστηρίξτε προϊόντα

Κριτήρια φίλτρον για τα άρθρα

Όλα τα προϊόντα Τα Προϊόντα μου

Δομή δέντρου προϊόντων

Προϊόν Τύπος άρθρου Ημερομηνία

Όλα Q1 Q2 Q3 Q4

Αναζήτηση προϊόντος

39281 Άρθρα από τα φιλτράρισμα σύμφωνα με 'simatic'

Από ένα σελίδα: 20 | 50 | 100

Επίλογος Σχετικότητα

Download SIMATIC STEP 7 Incl. Safety and WinCC V16 TRIAL Download 12/03/2019 ID: 10972393

SIMATIC STEP 7 (TIA Portal) V16 incl. Safety and WinCC V16, as well SIMATIC WinCC (TIA Portal) V16... As a registered customer, you can download the trial version for SIMATIC STEP 7 V16 incl. SIMATIC STEP 7 V16, SIMATIC WinCC V16, SIMATIC WinCC Unified V16

Το προϊόντα 6ES7833-1FA16-0YA5, 6ES7833-1FA16-0YD5... > Διο τα προϊόντα

Επιτυχώς αναζήτηση επίσης, κα στο κεφάλαιο των ελέγχων ουνομυών

Download SIMATIC STEP 7 and WinCC V15.1 TRIAL Download 10/20/2016 ID: 10976145

SIMATIC STEP 7 (TIA Portal) V15.1 incl. WinCC V15.1 and SIMATIC WinCC (TIA Portal) V15.1... As a registered customer, you can download the trial version for SIMATIC STEP 7 V15.1, WinCC V15.1 and WinCC V15.1 and test it for 21 days... SIMATIC STEP 7 V15.1, SIMATIC WinCC V15.1, SIMATIC WinCC V15.1, SIMATIC WinCC V15.1 (1.5 GB)

Το προϊόντα 6ES7822-0A 05... 6ES7822-1 05... > Διο τα προϊόντα

Επιτυχώς αναζήτηση επίσης, κα στο κεφάλαιο των ελέγχων ουνομυών

Download SIMATIC STEP 7 and WinCC V15 TRIAL Download 12/22/2017 ID: 109752566

Behavior in case of open force job Note that... after you have loaded a new project to the SIMATIC memory card... This means you should first delete the active force job before you remove a SIMATIC memory card from the CPU and before you overwrite the card in the PC with a new

Πληθίριο mySupport

> Αιστημίο

> Ο ουνομυών μου

> Άλλος CAK

> Τα προϊόντα μου / Πόρτορο

Πληροφορίες προϊόντος

Presales info

Catalog and ordering system online

Technical info

Support

Service offer

Training

Contact & partners

Ισχύει από 01/11/2020. Οι τιμές και τα τεχνικά χαρακτηριστικά των υλικών υπόκεινται σε οποιαδήποτε αλλαγή χωρίς προηγούμενη ειδοποίηση και δεν περιλαμβάνουν ΦΠΑ.