



GE
Lighting

68
kWh/1000h

A
energy class

81
lumens/watt




T8 Triphosphor - Direct
shipment from Europe (LFL)

OT FT8/58W/865/GE/SL1/25 MIEU DS

93019607

Product information



Product data

Product Code	93019607
Bulb Shape	Tubular
Bulb Finish	Coated
Regulatory comment	CE-marked
Bulb maximum overall diameter [mm]	28
Maximum Overall Length [mm]	1514.2
Cap to Cap Length (Max) [mm]	1500
Net weight per piece [g]	196
Gross weight per piece [g]	244
Mercury Content [mg]	2 mg
Product colour	Daylight
Brand	General Electric (GE)
Cap/Base	G13

Performance data

Colour Code	865
Colour (product colour)	Daylight
Lumen at 25°C [lm]	4700
Weighted energy consumption [kWh/1000h]	68
Rated efficacy 25°C EM preheat	81
Energy efficiency class (EEC)	A
Rated Life [h]	{EM 3-hour} : 15000
Rated median life on electromagnetic (EM / CCG) ballast 18000 on IEC 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 23000 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 20000 3-hour cycle	
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	4700
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Rated power [W]	58.0
Design Lamp ambient temperature [°C]	25
Starting ambient temperature range	-15°C ...50°C
Nominal power [W]	58

Logistic data

DUN Code	10064894527057
EAN Code	0064894528149
Pack Quantity	25
Inner pack type	sleeve
Outer pack type	outer box
Layer quantity EUR	SL 175
Pallet quantity EUR (PC)	SP 1400
Outer case size	1550x150x145mm
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)