



GE
Lighting

22

kWh/1000h

A

energy class

71

lumens/watt


T8 Triphosphor - Direct
shipment from Europe (LFL)

OT FT8/18W/865/GE/SL1/25 MIEU DS

93019907



Product information



Product data

Product Code	93019907
Bulb Shape	Tubular
Bulb Finish	Coated
Regulatory comment	CE-marked
Bulb maximum overall diameter [mm]	28
Maximum Overall Length [mm]	604
Cap to Cap Length (Max) [mm]	589.8
Net weight per piece [g]	84
Gross weight per piece [g]	100
Mercury Content [mg]	2 mg
Product colour	Daylight
Brand	General Electric (GE)
Cap/Base	G13

Performance data

Colour Code	865
Colour (product colour)	Daylight
Lumen at 25°C [lm]	1275
Weighted energy consumption [kWh/1000h]	22
Rated efficacy 25°C EM preheat	71
Energy efficiency class (EEC)	A
Rated Life [h]	{EM 3-hour} : 15000
Rated median life on electromagnetic (EM / CCG) ballast 18000 on IEC 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 23000 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 20000 3-hour cycle	
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	1275
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Rated power [W]	18.0
Design Lamp ambient temperature [°C]	25
Starting ambient temperature range	-15°C ...50°C
Nominal power [W]	18

Logistic data

DUN Code	10064894527163
EAN Code	0064894527067
Pack Quantity	25
Inner pack type	sleeve
Outer pack type	outer box
Layer quantity EUR	SL 350
Pallet quantity EUR (PC)	SP 2800
Outer case size	630x150x145mm
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)