

SKINTOP® GMP-GL

SKINTOP® GMP-GL, glass fibre-reinforced counter nuts, for maximum mechanical stability, for locking in boreholes without thread



Variety of approval certifications



Temperature-resistant



Assembly time

Benefits

Glass fibre-reinforced for maximum mechanical stability

Supporting surface for spanner means scratches on the housing are avoided

Application range

For locking SKINTOP® cable glands in boreholes without thread.

Norm references / Approvals

UL File Nr. E79903

Product Make-up

PG connection thread

Note

UL approval only when used with the UL-approved SKINTOP® polyamide cable glands

Designed for use with SKINTOP® ST(R)

SKINTOP® GMP-GL**Technical Data**

Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
On request:	Available without collar (without surface for assembling tool)
Colour delivered:	Silver grey (RAL 7001) Light grey (RAL 7035) Black (RAL 9005), UV-resistant
Material:	Polyamide, glass fibre-reinforced
Temperature range:	-20°C to +100°C

Note

Photographs are not to scale and do not represent detailed images of the respective products.

* Prices are net prices without VAT and surcharges. Sale to business customers.

**SKINTOP® GMP-GL**

Article number	Article designation / size	SW wrench size mm
SKINTOP® GMP-GL silver grey with collar		
53019000	GMP-GL 7	19
53019010	GMP-GL 9	22
53019020	GMP-GL 11	24
53019030	GMP-GL 13,5	27
53019040	GMP-GL 16	30
53019050	GMP-GL 21	36
53019060	GMP-GL 29	46
53019070	GMP-GL 36	60
53019080	GMP-GL 42	65
53019090	GMP-GL 48	70
SKINTOP® GMP-GL black with collar		
53019200	GMP-GL 7	19
53019210	GMP-GL 9	22
53019220	GMP-GL 11	24
53019230	GMP-GL 13,5	27
53019240	GMP-GL 16	30
53019250	GMP-GL 21	36
53019260	GMP-GL 29	46
53019270	GMP-GL 36	60
53019280	GMP-GL 42	65
53019290	GMP-GL 48	70
SKINTOP® GMP-GL light grey with collar		
53019001	GMP-GL 7	19
53019011	GMP-GL 9	22
53019021	GMP-GL 11	24
53019031	GMP-GL 13,5	27
53019041	GMP-GL 16	30
53019051	GMP-GL 21	36
53019061	GMP-GL 29	46
53019071	GMP-GL 36	60
53019081	GMP-GL 42	65
53019091	GMP-GL 48	70

Last Update (12.08.2016)

©2016 Lapp Group - Technical changes reserved

Product Management www.lappkabel.deYou can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03_16

SKINTOP® GMP-GL

