

Polycarbonate enclosures PK



PK accessories Page 27 System accessories Page 507 Cable gland, polyamide Page 658

Material:

- Housing: Fibre-glass reinforced polycarbonate
- Cover grey: Fibreglass-reinforced polycarbonate, all-round foamed-in PU seal
- Cover transparent: Polycarbonate, all-round foamed-in PU seal
- Cover screws: Polyamide
- Insulating bungs: Polyethylene

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 66

Supply includes:

- Enclosure with cover
- Cover screws
- Insulating bungs for wall mounting screws

Approvals:

- UL
- cUL

Technical details:

Available on the Internet

without knockouts

Width mm			65	94	94	94	110	110	Page
Height mm			65	65	94	94	110	110	
Depth mm			57	57	57	81	66	90	
Model No.			9500.000	9502.000	9504.000	9505.000	9506.000	9507.000	
		Packs of	12 pc(s).	8 pc(s).	6 pc(s).	6 pc(s).	6 pc(s).	6 pc(s).	
Cover	Grey		■	■	■	■	■	■	
Accessories									
Mounting plate			-	-	-	-	-	-	
Wall mounting brackets	1 pack(s)		9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges			-	-	-	-	-	-	

without knockouts

Width mm			130	130	130	130	180	180	Page
Height mm			94	94	130	130	94	94	
Depth mm			57	81	75	99	57	81	
Model No.			9508.000	9509.000	9510.000	9511.000	9512.000	9513.000	
		Packs of	4 pc(s).	4 pc(s).	4 pc(s).	4 pc(s).	2 pc(s).	2 pc(s).	
Cover	Grey		■	■	■	■	■	■	
Accessories									
Mounting plate			-	-	-	-	-	-	
Wall mounting brackets	1 pack(s)		9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges			-	-	-	-	-	-	

Polycarbonate enclosures PK

without knockouts

Width mm	Packs of	180	180	180	180	180	180	Page
Height mm		110	110	110	110	110	110	
Depth mm		90	90	111	111	165	165	
Model No.	2 pc(s).	9514.000	9514.100	9515.000	9515.100	9516.000	9516.100	
Cover	Grey	■	-	■	-	■	-	
	Transparent	-	■	-	■	-	■	
Accessories								
Mounting plate		-	-	-	-	-	-	
Wall mounting brackets	1 pack(s)	9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges	10 set(s)	9581.000	9581.000	9581.000	9581.000	9581.000	9581.000	27

without knockouts

Width mm	Packs of	182	182	182	182	182	182	Page
Height mm		180	180	180	180	180	180	
Depth mm		90	90	111	111	165	165	
Model No.	1 pc(s).	9517.000	9517.100	9518.000	9518.100	9519.000	9519.100	
Cover	Grey	■	-	■	-	■	-	
	Transparent	-	■	-	■	-	■	
Accessories								
Mounting plate	10 pc(s).	9548.000	9548.000	9548.000	9548.000	9548.000	9548.000	27
Wall mounting brackets	1 pack(s)	9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges	10 set(s)	9581.000	9581.000	9581.000	9581.000	9581.000	9581.000	27

without knockouts

Width mm	Packs of	254	254	254	254	254	254	Page
Height mm		180	180	180	180	180	180	
Depth mm		90	90	111	111	165	165	
Model No.	1 pc(s).	9520.000	9520.100	9521.000	9521.100	9522.000	9522.100	
Cover	Grey	■	-	■	-	■	-	
	Transparent	-	■	-	■	-	■	
Accessories								
Mounting plate	8 pc(s).	9549.000	9549.000	9549.000	9549.000	9549.000	9549.000	27
Wall mounting brackets	1 pack(s)	9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges	10 set(s)	9581.000	9581.000	9581.000	9581.000	9581.000	9581.000	27

without knockouts

Width mm	Packs of	360	360	360	360	360	360	Page
Height mm		254	254	254	254	254	254	
Depth mm		111	111	165	165	165	165	
Model No.	1 pc(s).	9523.000	9523.100	9524.000	9524.100	9524.000	9524.100	
Cover	Grey	■	-	■	-	■	-	
	Transparent	-	■	-	■	-	■	
Accessories								
Mounting plate	4 pc(s).	9550.000	9550.000	9550.000	9550.000	9550.000	9550.000	27
Wall mounting brackets	1 pack(s)	9583.000	9583.000	9583.000	9583.000	9583.000	9583.000	27
Hinges	10 set(s)	9581.000	9581.000	9581.000	9581.000	9581.000	9581.000	27

Polycarbonate enclosures PK



PK accessories Page 27 System accessories Page 507 Cable gland, polyamide Page 658

Material:

- Housing: Fibre-glass reinforced polycarbonate
- Cover: Fibreglass-reinforced polycarbonate, all-round foamed-in PU seal
- Cover screws: Polyamide
- Insulating bungs: Polyethylene

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 66

Supply includes:

- Enclosure with cover
- Cover screws
- Insulating bungs for wall mounting screws

Approvals:

- UL
- cUL

Technical details:

Available on the Internet

with knockouts

Width mm			130	180	254	Page
Height mm			94	110	180	
Depth mm			57	90	111	
Model No.			9508.050	9514.050	9521.050	
Cover	Grey	Packs of	4 pc(s).	2 pc(s).	1 pc(s).	
No. of metric knockouts			10 x M16/M20	16 x M20 2 x M20/M25 2 x M32/M40	24 x M20 4 x M25/M32 4 x M32/M40	
Accessories						
Mounting plate		8 pc(s).	–	–	9549.000	27
Wall mounting brackets		1 pack(s)	9583.000	9583.000	9583.000	27

Polycarbonate enclosures PK

Accessories

Mounting plate

For individual interior installation

Material:

- 2.5 mm melamine phenol-coated laminated paper


Colour:

- RAL 7035

Supply includes:

- Mounting plate
- Self-tapping assembly screws

For enclosure	Width mm	Height mm	Packs of	Model No.
9517.000/.100, 9518.000/.100, 9519.000/.100	150	150	10 pc(s).	9548.000
9520.000/.100, 9521.000/.100, 9521.050, 9522.000/.100	220	150	8 pc(s).	9549.000
9523.000/.100, 9524.000/.100	331	220	4 pc(s).	9550.000



Hinges

For hinged attachment of covers. The supplied drilling template ensures problem-free assembly.

Colour:

- Similar to RAL 7035

Supply includes:

- 1 set =
- 2 hinges
- 4 assembly screws
- 4 polyethylene sealing bungs
- 1 drilling template

For enclosure	Material	Packs of	Model No.
9514.000/.100 – 9524.000/.100	Polystyrene	10 set(s)	9581.000



Wall mounting brackets

The enclosure can be screwed to the wall using four wall mounting brackets. The wall mounting bracket is securely attached to the enclosure by simply using pins.

Material:

- Polyamide, grey

Colour:

- Similar to RAL 7035

	Packs of	Model No.
For all enclosures	1 pack(s)	9583.000

Supply includes:

- 1 pack = 40 pieces

