



130

kWh/1000h

19

lumens/watt

## Halogen Linear

OT 130W 240V R7S 117MM TU BX1/10  
MIC

93112573

---

### Product information

C class Double Ended Linear

- Increased efficiency – C energy class
- More than 30% energy saving
- Retrofit to standard Double Ended Linear
- Full range 100-330W to replace 150-500W standard range

---

### Application areas



Hospitality



Home

## Product data

|                             |          |
|-----------------------------|----------|
| Product Code                | 93112573 |
| Bulb Shape                  | Tubular  |
| Bulb Diameter [mm]          | 8        |
| Maximum Overall Length [mm] | 119      |
| Net weight per piece [g]    | 7        |
| Gross weight per piece [g]  | 20       |
| Brand                       | Tungsräm |
| Cap/Base                    | R7s      |

## Performance data

|   |          |
|---|----------|
| Rated Lumens [lm]                               | 2440     |
| Weighted energy consumption [kWh/1000h]         | 130.0    |
| Rated efficacy [lm/W]                           | 18.76923 |
| Lamp Lumen Maintenance factor (2000 hours)      | 80%      |
| Rated Life [h]                                  | 2000     |
| Nominal correlated colour temperature (CCT) [K] | 2850     |
| Nominal lumens [lm]                             | 2440     |

## Electrical data

|   |         |
|---|---------|
| Rated power [W]                             | 130.0   |
| Starting time (sec)                         | 0.0 s   |
| Warm up time up to 60% of full light output | instant |
| Number of switching cycles                  | 8000    |
| Coil type                                   | CC-8    |
| Dimming Capability                          | Yes     |
| Nominal power [W]                           | 130     |
| Nominal lamp voltage [V]                    | 240     |

## Logistic data

|                          |                    |
|--------------------------|--------------------|
| DUN Code                 | 15994100031205     |
| EAN Code                 | 5994100031208      |
| Pack Quantity            | 10                 |
| Inner pack type          | BOX                |
| Outer pack type          | OUTER BOX          |
| Layer quantity           | 3200 EUR, 4000 UK  |
| Layer quantity EUR       | 3200               |
| Layer quantity UK        | 4000               |
| Pallet quantity EUR (PC) | 16000              |
| Pallet quantity UK (PC)  | 20000              |
| Outer case size          | 125 x 90 x 38 (mm) |
| Product status           | Available          |

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Halogen Lamps Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Please note that the rated life of those lamps under this SKU number placed on the market on or before 31 August 2013 can be either 1,000 hours or 2,000 hours. The rated life of those lamps placed on the market on or after 1 September 2013 is exclusively 2,000 hours.