

# Product datasheet

Specifications



## mini Opale surface enclosure - IP 30 - 1 x 6 modules - without door

13396

### Main

Product or component type	Enclosure
Enclosure type	Distribution enclosure
Nb of 18 mm modules per row	6
Provided equipment	2 x terminal block
Standards	IEC 60529 EN 50102
Colour	Enclosure: white (RAL 9003)

### Complementary

Enclosure mounting	Surface
Nb of horizontal rows	1
[In] rated current	63 A
Type of rail	DIN
Mounting plate description	Without mounting plate
Number of terminal blocks	2 with 4 outgoers
Distribution block outgoers	2 x 16 mm <sup>2</sup> 6 x 10 mm <sup>2</sup>
Enclosure material	Enclosure: self-extinguishing material
Width	119 mm
Height	160 mm
Depth	65 mm
Internal depth	52 mm

### Environment

IP degree of protection	IP30 conforming to IEC 60529
IK degree of protection	IK07 conforming to EN 50102

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	6.500 cm
Package 1 Width	12.000 cm
Package 1 Length	16.000 cm
Package 1 Weight	200 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	26.000 cm
Package 2 Width	17.000 cm
Package 2 Length	35.000 cm
Package 2 Weight	2.150 kg
Unit Type of Package 3	P12
Number of Units in Package 3	560
Package 3 Height	80.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	126.912 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>

## Contractual warranty

Warranty	18 months
----------	-----------

## Recommended replacement(s)