

Harmony XB5, Blanking plug, plastic, black, for Ø22 hole

ZB5SZ3

Product availability: Stock - Normally stocked in distribution facility

Price*: 11.00 USD

man.	
Range of Product	Harmony XB5 Harmony XB4
Accessory / separate part type	Blanking plug
Accessory / separate part category	Installation accessories
Accessory / separate part destination	Ø 22 mm cut-outs for circular heads

Complementary

Material	Plastic
Bezel material	Dark grey plastic
Head type	Standard
Colour	Dark grey
Device Composition	Nut Blanking plug
Sale per indivisible quantity	10
Net Weight	0.02 lb(US) (0.009 kg)
Shape of signaling unit head	Round
Operator profile	Flush
Station name	XALD 25 cut-outs XALK 25 cut-outs

Environment

NEMA degree of protection	NEMA 13 NEMA 4X	
IP degree of protection	IP66 IEC 60529 IP67 IP69 IP69K	
IK degree of protection	IK03 IEC 50102	
Standards	JIS C8201-5-1 EN/IEC 60947-1 EN/IEC 60947-5-1 CSA C22.2 No 14 EN/IEC 60947-5-4	

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

UL 508

Ordering and shipping details

Category	22469-PUSHBUTTON,22MM ACCESSORIES-NEW
Discount Schedule	CS2
GTIN	3389110099522
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.91 in (2.3 cm)
Package 1 Width	1.10 in (2.8 cm)
Package 1 Length	1.10 in (2.8 cm)
Package 1 Weight	0.28 oz (8 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	2.76 in (7 cm)
Package 2 Width	2.76 in (7 cm)
Package 2 Length	3.46 in (8.8 cm)
Package 2 Weight	3.42 oz (97 g)
Unit Type of Package 3	S03
Number of Units in Package 3	400
Package 3 Height	11.81 in (30 cm)
Package 3 Width	11.81 in (30 cm)
Package 3 Length	15.75 in (40 cm)
Package 3 Weight	9.63 lb(US) (4.368 kg)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty 18 months

Recommended replacement(s)